



DATASHEET / surface




LELO

LELO base
LELO ceiling fix
LELO suspension
LELO accessories

color legend

.01 white	.01 white ex / black in
.02 black	.02 black ex / black in
.04 anodised	.05 white ex / alu in
.05 alu	.11 white ex / white in
.06 graphite	.15 alu ex / alu in
.07 corten	
.10 stainless steel	

.01 **.02** LELO base



LELO surface base

reference	42110HW/WW/W	42111HW/WW/W	42112HW/WW/W
reference DALI	42110DDHW/WW/W	42111DDHW/WW/W	42112DDHW/WW/W
wattage	58W	70W	92W
voltage	230V	230V	230V
Lm	6900 Lm	8400 Lm	11200 Lm
K	2700K/3000K/4000K	2700K/3000K/4000K	2700K/3000K/4000K
CRI	95+	95+	95+





DATASHEET / surface




LELO

LELO base
LELO ceiling fix
LELO suspension
LELO accessories

color legend

.01 white	.01 white ex / black in
.02 black	.02 black ex / black in
.04 anodised	.05 white ex / alu in
.05 alu	.11 white ex / white in
.06 graphite	.15 alu ex / alu in
.07 corten	
.10 stainless steel	

.01 **.02** LELO ceiling fix



LELO ceiling fix

reference	42120HW/WW/W	42121HW/WW/W	42122HW/WW/W
wattage	58W	70W	92W
voltage	24V	24V	24V
Lm	6900 Lm	8400 Lm	11200 Lm
K	2700K/3000K/4000K	2700K/3000K/4000K	2700K/3000K/4000K
CRI	95+	95+	95+



gear to be ordered separately



DATASHEET / surface




LELO

- LELO base
- LELO ceiling fix
- LELO suspension
- LELO accessories

color legend

- .01** white
- .02** black
- .04** anodised
- .05** alu
- .06** graphite
- .07** corten
- .10** stainless steel
- .01** white ex / black in
- .02** black ex / black in
- .05** white ex / alu in
- .11** white ex / white in
- .15** alu ex / alu in

.01 .02 LELO suspension



LELO suspension DOWN	900mm	1200mm	1500mm
reference	42101HW/WW/W	42102HW/WW/W	42103HW/WW/W
wattage	58W	70W	92W
voltage	24V	24V	24V
Lm	6900 Lm	8400 Lm	11200 Lm
K	2700K/3000K/4000K	2700K/3000K/4000K	2700K/3000K/4000K
CRI	95+	95+	95+
LELO suspension UP/DOWN	900mm	1200mm	1500mm
reference / UD	42105HW/WW/W	42106HW/WW/W	42107HW/WW/W
wattage	116W	140W	184W
voltage	24V	24V	24V
Lm	13800 Lm	16800 Lm	22400 Lm
K	2700K/3000K/4000K	2700K/3000K/4000K	2700K/3000K/4000K
CRI	95+	95+	95+



gear to be ordered separately



DATASHEET / surface




LELO

- LELO base
- LELO ceiling fix
- LELO suspension
- LELO accessories


color legend

- | | |
|----------------------------|--------------------------------|
| .01 white | .01 white ex / black in |
| .02 black | .02 black ex / black in |
| .04 anodised | .05 white ex / alu in |
| .05 alu | .11 white ex / white in |
| .06 graphite | .15 alu ex / alu in |
| .07 corten | |
| .10 stainless steel | |

.01 .02 LELO accessories



reference	wattage	reference	wattage
42144.XX	1x60W	42148.XX	1x100W
42144DD.XX	1x60W DALI	42144DD.XX	1x100W DALI
42146.XX	2x60W	42150.XX	2x100W
42146DD.XX	2x60W DALI	42146DD.XX	2x100W DALI




reference	wattage	reference	wattage
42152.XX	1x100W	42154.XX	2x100W
421152DD.XX	1x100W DALI	42154DD.XX	2x100W DALI




reference	42165.XX
-----------	----------

example



example





DATASHEET / surface



LELO


- LELO base
- LELO ceiling fix
- LELO suspension
- LELO accessories

color legend


- | | |
|----------------------------|--------------------------------|
| .01 white | .01 white ex / black in |
| .02 black | .02 black ex / black in |
| .04 anodised | .05 white ex / alu in |
| .05 alu | .11 white ex / white in |
| .06 graphite | .15 alu ex / alu in |
| .07 corten | |
| .10 stainless steel | |

.01 .02 LELO accessories

recessed power feed PICO



recessed power feed TRIMLESS



recessed power feed



recessed power feed with suspension



holder set 3 pcs



holder set 4 pcs /for LELO 1500/



suspension adapter LELO



• 85 •

• 85 •

• 90 •

• 82 •

00055.XX

00050.XX

00051.XX

42160.XX


42161.XX

42162.XX


42165.XX

gear not included

example



example



example

