

# LELO PENDANT




LELO is available in 3 sizes and can be surface suspended or wall/ceiling mounted. It consists of circular aluminium profile and an acrylic diffuser for uniform illumination. Integrated or remote control gear that can be fixed or touch/DALI dimmable. Can be ordered in DOWN or UP/DOWN versions in 900mm, 1200mm or 1500mm diameter.






Worldquant Office, Back2architecture






## L E L O PENDANT DOWN





|                                                                                                                                                                             | 900 mm                                                                                   | 1200 mm                                                                                  | 1500 mm                                                                                    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| reference                                                                                                                                                                   | 42101HW/WW/W                                                                             | 42102HW/WW/W                                                                             | 42103HW/WW/W                                                                               |
| wattage                                                                                                                                                                     | 58 W                                                                                     | 70 W                                                                                     | 92 W                                                                                       |
|  voltage                                                                                   | 24 V                                                                                     | 24 V                                                                                     | 24 V                                                                                       |
|  K                                                                                        | 2700/3000/4000 K                                                                         | 2700/3000/4000 K                                                                         | 2700/3000/4000 K                                                                           |
|   CRI | 95+                                                                                      | 95+                                                                                      | 95+                                                                                        |
|                                                                                                                                                                             | 3200  | 4300  | 5400  |

## L E L O PENDANT UP/DOWN



|                                                                                                                                                                             | 900 mm                                                                                   | 1200 mm                                                                                  | 1500 mm                                                                                    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| reference                                                                                                                                                                   | 42105HW/WW/W                                                                             | 42106HW/WW/W                                                                             | 42107HW/WW/W                                                                               |
| wattage                                                                                                                                                                     | 116 W                                                                                    | 140 W                                                                                    | 184 W                                                                                      |
|  voltage                                                                                 | 24 V                                                                                     | 24 V                                                                                     | 24 V                                                                                       |
|  K                                                                                       | 2700/3000/4000 K                                                                         | 2700/3000/4000 K                                                                         | 2700/3000/4000 K                                                                           |
|   CRI | 95+                                                                                      | 95+                                                                                      | 95+                                                                                        |
| <b>Gear to be ordered separately.</b>                                                                                                                                       | 3700  | 4800  | 5900  |

# LELO ACCESSORIES





## surface feed 1x

| reference | 42144  | 42144DD     | 42148   | 42148DD      |
|-----------|--------|-------------|---------|--------------|
| wattage   | 1x60 W | 1x60 W DALI | 1x100 W | 1x100 W DALI |

## surface feed 2x

| reference | 442146 | 42146DD     | 42150   | 42150DD      |
|-----------|--------|-------------|---------|--------------|
| wattage   | 2x60 W | 2x60 W DALI | 2x100 W | 2x100 W DALI |



## surface feed 1x

| reference | 42152   | 42152DD      |
|-----------|---------|--------------|
| wattage   | 1x100 W | 1x100 W DALI |

## surface feed 2x

| reference | 42154   | 42154DD      |
|-----------|---------|--------------|
| wattage   | 2x100 W | 2x100 W DALI |



85



85



90



holder set  
3 pcs  
42161



holder set  
4 pcs for LEO1500  
42162



Suspension  
adapter LEO  
42165

| reference | 00050 | 00051 | 42160 | 42161 | 42162 | 42165 |
|-----------|-------|-------|-------|-------|-------|-------|
|-----------|-------|-------|-------|-------|-------|-------|

**Gear not included.**






Worldquant Office, Back2architecture

## POWER FEED

### FEED RECESSED

Strip | Stripmini | Stripminislim |  
Lelo | Shu




3X

5X

reference 00014 00015

### FEED RECESSED TRIMLESS

Strip | Stripmini | Stripminislim |  
Lelo | Shu




5X

reference 00115

### FEED EXTERNAL


Strip | Stripmini | Stripminislim |  
Lelo | Shu



reference 00012

### FEED COMBI

Strip | Stripmini | Stripminislim |  
Lelo | Shu




3X

5X


reference 00016 00017

Strip | Stripmini | Stripminislim |  
Lelo | Shu




5X

reference 00116




reference 00010

#### Lelo Feed




reference 00051

#### Lelo Feed



reference 00050



reference 00110

## CODES

### LIGHT SOURCE

HW - 2700K

WW - 3000K

W - 4000K